



TimberIN
Hot Tubs & Outdoor Saunas

TimberIN Nordic Cube™

Modern outdoor sauna in solid CLT

TECHNICAL DATA SHEET

SIZES

S · M · L

FINISHES

Base · Premium

HEATER

Harvia, included

THE RANGE

Three sizes. Two finishes.

Delivered flat-packed in one crate. Two to four people assemble it on site in 40–120 minutes with basic hand tools.



Nordic Cube S



Nordic Cube M




Nordic Cube L

	Nordic Cube S	Nordic Cube M	Nordic Cube L
External size (W × D × H)	1.30 × 1.60 × 2.00 m	2.00 × 1.60 × 2.00 m	2.50 × 1.60 × 2.00 m
Bathers	up to 2	up to 4	up to 6
Floor area	2.08 m ²	3.20 m ²	4.00 m ²
Weight Base / Premium	368 / 394 kg	463 / 520 kg	570 / 622 kg
Crate Base (L × W × H)	1582 × 2020 × 580 mm	2130 × 2020 × 580 mm	2580 × 2020 × 555 mm
Crate Premium (L × W × H)	1612 × 2046 × 590 mm	2130 × 2046 × 590 mm	2580 × 2046 × 562 mm

Height is stated without the support feet; add 50 mm for the installed height. Weights are shipping weights including the crate.


TWO FINISHES

The difference is inside.



BASE

- Micro-CLT structural wall, floor and roof panels
- Stainless steel pegs, bolts and fixings
- 8 mm toughened safety glass
- Wooden-frame door and window
- Flat, weather-resistant roof system
- Double-coated lazure exterior finish
- Solid aspen bench seating
- Under-seat LED strip lighting



PREMIUM

- Everything in Base, plus:
- Full thermo-aspen interior cladding
- Thermo-aspen bench seating
- Thermo-aspen finished vents
- Softer heat, deeper tone, refined detail

CERTIFIED MATERIALS

CLT PANELS

Cross-laminated spruce (SWP)

EN 13986 · E1 formaldehyde class

GLAZING

8 mm toughened safety glass

EN 12150-2 · 200 K thermal shock

ROOF

Liquid-applied membrane

EN 1504-2 · fully sealed

FINISHES

Scandinavian wood finishes

M1 emission class

HEATER INCLUDED

Choose your Harvia heater.

Every TimberIN Nordic Cube™ is supplied with a Harvia electric sauna heater. Choose one of two models when you order; the cabin arrives with the cable entry pre-cut.

Harvia The Wall SW90

9.0 kW · steel · wall-mounted

Harvia Cilindro PC66

6.6 kW · black steel · cylindrical

Your TimberIN advisor confirms the right heater for the size you choose. Electrical connection must be carried out by a certified electrician.

DELIVERY & ASSEMBLY

From crate to first heat.

- Supplied flat-packed in a single wooden crate.
- Panels are carried by hand, so a standard side gate is no obstacle.
- Assembly by 2–4 people in 40–120 minutes with basic hand tools.
- A full TimberIN assembly manual is included.
- Fully assembled installation is available on request.
- Place the sauna on a level, load-bearing base (paving slabs, footings or a slab).

