ENG: The measurements mentioned in the drawings and in TimberIN websites are only approximate data. They will differ from the measurements of the finished product. It is due to the fact that our products are individually designed and hand-made. However, if one or more measurements are very important, please mention before ordering. We will pay big attention to your requirements in the production process. This will ensure that the product will be produced as closely as possible to your requirements.

DE: Die in den Zeichnungen und auf den TimberIN-Websites genannten Maße sind nur ungefähre Angaben. Sie unterscheiden sich von den Maßen des fertigen Produkts. Dies liegt daran, dass unsere Produkte individuell gestaltet und handgefertigt werden. Wenn jedoch eine oder mehrere Messungen sehr wichtig sind, geben Sie dies bitte vor der Bestellung an. Wir werden Ihre Anforderungen im Produktionsprozess sehr berücksichtigen. Dadurch wird sichergestellt, dass das Produkt so genau wie möglich Ihren Anforderungen entspricht.

FR: Les mesures mentionnées dans les dessins et sur les sites Web TimberIN ne sont que des données approximatives. Ils différeront des mesures du produit fini. Cela est dû au fait que nos produits sont conçus individuellement et fabriqués à la main. Cependant, si une ou plusieurs mesures sont très importantes, merci de le mentionner avant de commander. Nous prêterons une grande attention à vos besoins dans le processus de production. Cela garantira que le produit sera fabriqué aussi près que possible de vos besoins.

DK: Målingerne nævnt på tegningerne og på TimberIN-websteder er kun omtrentlige data. De afviger fra målingerne af det færdige produkt. Det skyldes, at vores produkter er individuelt designet og håndlavet. Hvis en eller flere målinger dog er meget vigtige, skal du nævne det før du bestiller. Vi vil være meget opmærksomme på dine krav i produktionsprocessen. Dette vil sikre, at produktet produceres så tæt som muligt efter dine krav.

NO: Målingene nevnt på tegningene og på TimberIN nettsteder er bare omtrentlige data. De vil avvike fra målingene av det ferdige produktet. Det skyldes det faktum at produktene våre er individuelt designet og håndlaget. Imidlertid, hvis en eller flere målinger er veldig viktige, må du nevne før du bestiller. Vi vil ta stor vekt på dine krav i produksjonsprosessen. Dette vil sikre at produktet blir produsert så nært som mulig dine behov.

IT: Le misure menzionate nei disegni e nei siti Web di TimberIN sono solo dati approssimativi. Differiranno dalle misure del prodotto finito. È dovuto al fatto che i nostri prodotti sono progettati e realizzati a mano individualmente. Tuttavia, se una o più misurazioni sono molto importanti, si prega di menzionare prima di ordinare. Presteremo grande attenzione alle vostre esigenze nel processo di produzione. Ciò garantirà che il prodotto sarà prodotto il più vicino possibile alle vostre esigenze.

NL: De in de tekeningen en op TimberIN-websites genoemde metingen zijn slechts benaderende gegevens. Ze zullen verschillen van de afmetingen van het eindproduct. Het is te wijten aan het feit dat onze producten individueel zijn ontworpen en met de hand zijn gemaakt. Als een of meer metingen erg belangrijk zijn, vermeld dit dan voordat u bestelt. We zullen veel aandacht besteden aan uw eisen in het productieproces. Dit zorgt ervoor dat het product zo dicht mogelijk bij uw eisen wordt geproduceerd.

SWE: Mätningarna som nämns på ritningarna och på TimberIN-webbplatser är endast ungefärliga data. De kommer att skilja sig från måtten på den färdiga produkten. Det beror på att våra produkter är individuellt designade och handgjorda. Om en eller flera mätningar är mycket viktiga, berätta dock innan du beställer. Vi kommer att ägna stor uppmärksamhet åt dina krav i produktionsprocessen. Detta kommer att säkerställa att produkten produceras så nära dina krav som möjligt.

PL: Pomiary wymienione na rysunkach i na stronach internetowych TimberIN są jedynie danymi przybliżonymi. Będą się różnić od pomiarów gotowego produktu. Wynika to z faktu, że nasze produkty są indywidualnie zaprojektowane i wykonane ręcznie. Jeśli jednak co najmniej jeden pomiar jest bardzo ważny, należy o tym wspomnieć przed złożeniem zamówienia. Zwrócimy dużą uwagę na Twoje wymagania w procesie produkcyjnym. Zapewni to, że produkt będzie produkowany jak najbliżej Twoich wymagań.

OUTDOOR HOBBIT-STYLE WOODEN SAUNA TECHNICAL SHEET

TimberIN
BALTIC SPA & SAUNAS

Table of contents


HOBBIT SAUNA 1950 X 4000 MM 3
GENERAL INFO 4
HOBBIT SAUNA 1950 X 4000 MM WITH FULL GLASS FRONT AND ERGONOMIC BENCHES 8
GENERAL INFO 9
HARVIA HEATERS 13
WOOD BURNING HARVIA HEATER SAFETY DISTANCES APPLIED IN TIMBERIN SAUNAS 14

TiMberin

HOBBIT SAUNA 1950 X 4000 MM



GENERAL INFO





MODEL	HOBBIT
Seating capacity	2 – 4 people
Barrel diameter and lenght	400 x 195 cm, two room
Weight	1200 kg
Round window	⌀ 90 cm
Door dimensions	179 x 69 cm
Material thickness sides	42 mm
Material thickness front and back	28 mm
Wood type	Spruce Thermowood
Recommended official “Harvia” heater	Harvia M3/ M3 SL Harvia Cilindro 9 kW

LAYOUT







700
900
~2160
1800
~2360



~2085
~1785
600
600
315
1750
1950
3960
4050

BASE MEASUREMENTS


Oval Sauna "Hobbit" 4 x 1,95







DELIVERY INFO




	DELIVERY INFO
Assembly kit (flat packed) sauna measurements:	405 x 120 x 120 cm Weight 1200 kg
Assembled sauna measurements:	4.1 x 4.2 x 2.6 Weight 1200 kg

Wberin

HOBBIT SAUNA 1950 X 4000 MM WITH FULL GLASS FRONT AND ERGONOMIC BENCHES



GENERAL INFO



MODEL	HOBBIT WITH GLASS FRONT
Seating capacity	2 – 4 people
Barrel diameter and lenght	400 x 195 cm, two room
Weight	1200 kg
Wood type	Spruce Thermowood
Recommended official “Harvia” heater	Harvia M3/ M3 SL Harvia Cilindro 9 kW


LAYOUT







BASE MEASUREMENTS

Sauna "Lux Hobbit" 4 x 1,95
(glass front wall)








iMberin

DELIVERY INFO



	DELIVERY INFO
Assembly kit (flat packed) sauna measurements:	405 x 120 x 120 cm Weight 1200 kg
Full glass front in a separate package:	250 x 220 x 80 150 kg
Assembled sauna measuremen ts:	4.1 x 4.2 x 2.6 Weight 1200 kg

iWbein

HARVIA HEATERS

Harvia M3 + chimney



The Harvia M3 has a classic design and is suitable for smaller, woodburning saunas. It turns a sauna bath into a pleasurable experience and adds a touch of traditional sauna atmosphere. The even heat and efficient air circulation guarantee an enjoyable bath.

Output 16,5 kW

Stones max. 30 kg

User manual HERE

Harvia M3 SL + chimney (logs loaded from outside instead of inside)



The SL models are designed for people who want to conveniently heat their sauna from another room or outside the building. SL stoves provide great bathing in small and medium-sized saunas.

Output 16,5 kW

Stones max. 30 kg

User manual HERE

Cilindro 9 kW (PC90) with an integrated control unit



Harvia Cilindro electric heater's massive sauna stone amount provides enjoyable sauna bath. Cilindro has an apertured outer casing made of stainless steel. You can adjust the nature of the heat from soft to sharp by throwing water either to the side of the heater or straight on top of the stone pillar.

Output 9 kW

Stones max. 80 kg

User manual HERE

WOOD BURNING HARVIA HEATER SAFETY DISTANCES APPLIED IN TIMBERIN SAUNAS ACCORING TO OFFICIAL HARVIA HEATERS SAFETY REQUIREMENTS

HARVIA M3 / HARVIA M3 SL:

- Walls and benches made of inflammable materials. The minimum safety distances to inflammable materials:
  - on either side – 25 cm (B),
  - behind the stove – 30 cm (C), *due to installed cetris panel behind the heater the distance can be minimized,*
  - in the front – approx. 30 cm (D).
- Heater ground area is covered with cetris panel.

HARVIA 20 PRO / HARVIA 20 SL:

- Walls and benches made of inflammable materials. The minimum safety distances to inflammable materials:
  - on either side – 30 cm (B),
  - behind the stove – 30 cm (C), *due to installed cetris panel behind the heater the distance can be minimized,*
  - in the front – approx. 30 cm (D).
- Heater ground area is covered with cetris panel.

SAUNA CHIMNEY:

- Non insulated chimney min. 50 cm from inflammable materials (*side materials can be cover with cetris panel to reduce the distance*).
- Insulation between roof and insulated chimney min. 10 cm.
- Chimney insulation going down from the roof min. 43 cm.

	A	B	C	D
M1, M2, M3/SL, Classic 140	1200	250	300	300
20 Pro, 20 SL Duo, Classic 170/Duo, Boiler, Premium/VS, Classic 220/Duo, 20 RS/LS Pro	1200	250	300	300
26 Pro, Classic 280	1280	375	375	375
36, 36 Duo	1250	500	500	500
Linear 16, 16	1300	300	350	400
Linear 22, 22/S, Linear 22 RS/LS/ES, 22 RS/LS/ES S	1265	400	380	500
Linear 28	1380	400	400	500




Figure 1 Safety distances (all dimensions in millimeters)




Figure 2 Safety distances for chimney (all dimensions in millimeters)

ADDITIONAL INFORMATION

The following pages add current TimberIN information (data as of 11/2026) to the original technical sheet on the previous pages. If a detail differs, please ask us; the approved order drawing applies.

In this section

TimberIN Nordic Hobbiton™ Glass – technical sheet 16

TimberIN Nordic Hobbiton™ Glass – technical sheet

A rounded, Hobbit-style outdoor sauna with its own changing room. One size, 2,400 × 4,000 mm, for 2–4 people, with a timber front or a full-glass front, in Thermowood. Delivered factory-assembled.

One size: 2,400 × 4,000 mm · two fronts · Thermowood · one Harvia heater included

Technical data

Size (nominal)	2,400 × 4,000 mm
Fronts	Timber front: glazed entrance door and a round window Ø 900 mm in the sauna Full-glass front: fully glazed front with ergonomic benches
Rooms	Two: sauna and changing room, with a glazed door between them
Seating	2–4 people
Outside dimensions, timber front	About 4,050 × 2,400 mm; height about 2,360 mm (without chimney)
Outside dimensions, full-glass front	Nominal footprint 4,000 × 2,400 mm
Inside floor, both fronts	About 3,960 × 2,020 mm: sauna about 2,085 mm long, changing room about 1,785 mm long
Entrance door	Timber front: 1,790 × 690 mm, glazed · full-glass front: central glazed door
Wall thickness	Shell 42 mm; front and back walls 28 mm
Wood	Thermowood
Roof	Roof tiles in black, brown or green
Included	Benches for the chosen front; glazed entrance door; ventilation; changing room with a glazed door to the sauna; round window Ø 900 mm (timber front); one Harvia heater (choose below)

Harvia heaters – choose one

Heater	Type	Output	
Harvia M3 + chimney	Wood, loaded inside	16.5 kW	**Included**
Harvia M3 SL + chimney	Wood, loaded from outside	16.5 kW	Upgrade
Harvia 20 PRO + chimney	Wood, loaded inside	24.1 kW	Upgrade
Harvia 20 SL + chimney	Wood, loaded from outside	24.1 kW	Upgrade
Harvia Cilindro PC90	Electric, integrated control unit	9 kW	**Included**
Harvia Cilindro PC90XW WiFi Steel	Electric, Wi-Fi control	9 kW	Upgrade
Harvia Legend PO110FC WiFi, black	Electric, Wi-Fi control	10.8 kW	Upgrade

One heater is included in the price: the M3 with chimney or the Cilindro PC90. The heater warms the sauna room, not the changing room, so ask us before choosing a 20 PRO, 20 SL or another larger stove.

Electric supply: PC90 / PC90XW 400 V 3 × 16 A, cable 5 × 2.5 mm²; PC90 also 230 V 1 × 40 A; Legend PO110FC 400 V. A qualified electrician designs the supply, cable and protection from the heater manual.